

# Milwaukee County COVID-19 Data Summary

Milwaukee County COVID-19 Epidemiology Intel Team

This report was updated on June 24, 2021 and includes data through June 22, 2021. Note that data for recent weeks may be under-reported due to pending test results.

## Milwaukee County COVID-19 Summary Statistics

### Overall Milwaukee County COVID-19 Summary Statistics March 5, 2020 - June 22, 2021

	Milwaukee County	City of Milwaukee	Suburbs
Total tests performed	1,463,999	923,702	540,297
Percent positive of all tests performed	8.2%	8.2%	8.1%
Number of confirmed cases	106,494	67,749	38,745
Number of hospitalizations	6,944	4,537	2,407
Number of deaths	1,365	729	636
Case fatality rate	1.3%	1.1%	1.6%

### Weekly Milwaukee County COVID-19 Summary Statistics June 16, 2021 - June 22, 2021


	Milwaukee County	City of Milwaukee	Suburbs
Total tests performed	8,847	5,636	3,211
Percent positive of all tests performed	0.8%	0.8%	0.7%
Number of confirmed cases	54	41	13
Number of hospitalizations	46	31	15
Number of deaths	1	0	1

## Total Cases and New Cases

There are now a total of 106494 cases in Milwaukee County, since the first confirmed case on March 6<sup>th</sup>, 2020. Over the last week, we observed 54 new confirmed cases in Milwaukee County, including 41 new cases in the city of Milwaukee. **Figure 1** shows the daily incidence of new cases (bars) and the average daily incidence within the last 7 days (line), which provides a smoothing effect to enhance visualization, for both the city and the county. To indicate a potential reporting delay, we shaded the last seven days of data and exclude those days from the trend line.

Over the last week, we have seen a decline in confirmed cases in the county to the lowest level seen since the beginning of the epidemic in March 2020. The highest daily case count since the beginning of the epidemic occurred on November 9, 2020, with 1685 cases in the county overall. The highest daily case count over the entire epidemic in the suburbs occurred on November 9, 2020, with a total of 675 cases confirmed. The highest case count in the city occurred on November 9, 2020, with a total of 1010 cases confirmed.

**Figure 1: Milwaukee County daily number of COVID-19 cases**




Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
Created by the Milwaukee County COVID-19 Epidemiology Intel Team

## Total Deaths and New Deaths

There are a total of 1365 COVID-19 related deaths in Milwaukee County. Over the last week, we observed 1 deaths, with 0 from the City of Milwaukee. **Figure 2** shows the number of daily COVID-19 related deaths among Milwaukee County and City of Milwaukee residents. The overlaid lines show the average daily deaths within the last 7 days for each jurisdiction. Deaths in the county peaked on December 1, 2020. Deaths in the city peaked on December 1, 2020 with 10 deaths, and in the suburbs on November 15, 2020 with 10 deaths.

**Figure 2: Milwaukee County COVID-19 daily deaths**




Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
Created by the Milwaukee County COVID-19 Epidemiology Intel Team

## The COVID-19 Reproductive Number

Another way of examining the growth rate of the infection is to examine the reproductive number (R). This number captures the number of new cases that are the result of an existing case. For example, an R of 2 would indicate that each infected person infects 2 new people. The following plots show the change in R over time for Milwaukee County, **Figure 3**, the City of Milwaukee, **Figure 4a**, and Milwaukee County suburbs, **Figure 4b**. Each plot includes key dates related to physical distancing or focused testing campaigns affecting residents. The R for each date is calculated to represent the R for a 7-day period with the start day of that 7-day period represented on the graph. We do not report estimates for the most recent seven days due to a potential data reporting delay. The highest R values observed over the course of the epidemic were 3.08 in the county, 3.43 in the city, and 2.24 in the suburbs, at the beginning of the epidemic in March 2020. The R value has fluctuated around 1 since then, with a most recent low of 0.59 in the county on May 25, 2021.


Patterns in the City of Milwaukee are very similar to those in the county overall. Patterns in the suburbs show more fluctuation. The R values for the week of June 9, 2021 through June 15, 2021 are 0.914 for the county, 0.970 in the city, and 0.760 in the suburbs.

**Figure 3: One week reproductive number for Milwaukee County**




Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
Created by the Milwaukee County COVID-19 Epidemiology Intel Team

**Figure 4a: One week reproductive number for City of Milwaukee**



Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
 Created by the Milwaukee County COVID-19 Epidemiology Intel Team

**Figure 4b: One week reproductive number for Milwaukee County suburbs**




Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
 Created by the Milwaukee County COVID-19 Epidemiology Intel Team

## Demographic Patterns – Age, Sex, Race and Ethnicity

### Confirmed cases

COVID-19 cases vary by demographic characteristics. **Figure 5** shows cumulative case plots including confirmed positive cases with an available specimen collection date, plotted by census block group (CBG) median household income, sex, age, and race/ethnicity groups. Most diagnosed cases fall within the ages of 18-79. The cumulative number of cases among those aged 25-39 (N = 31278) still exceeds the number among the next highest group, those aged 40-59 (N = 28445). The number of cases under age 18 (N = 13787) approaches the number diagnosed among those 60-79 (N = 13943). Of all confirmed cases, 47% are male and 53% are female. The largest number of cases have been identified among the non-Hispanic White population (N = 46097), followed by the Hispanic population (N = 25676), and the Black/AA population (N = 24820). The lower two quartiles of median household income (\$0 to \$35,833, and \$35,834 to \$50,096) have a larger number of cases than the higher two quartiles (\$50,097 to \$68,393, and \$68,394 to \$250,001), with the fewest cases identified among the highest income group.

**Figure 5: Cumulative confirmed cases in Milwaukee County**



Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)


Created by the Milwaukee County COVID-19 Epidemiology Intel Team

\*Race and ethnicity were combined into one variable where the Hispanic category includes Hispanics of any race.


AIAN stands for American Indian or Alaska Native and NHOPI stands for Native Hawaiian or Other Pacific Islander.

When examined as population-based rates in **Figure 6**, demographic patterns are also apparent. Early in the epidemic, we saw a clear age gradient in population-based rates, with older populations experiencing greater rates. However, in the last months, we have seen rates among the younger, working age groups (18-24, 25-39, and 40-59) exceed the rate of those aged 80+. The rate among those 60-79 (97.65 per 1,000) now exceeds that of those aged 80+ (93.29 per 1,000) and the rate among those 40-59 (123.2 per 1,000) exceeds that among those 18-24 (104.37 per 1,000). By race and ethnicity, the rate was highest among Black/AA populations until the beginning of May 2020, when we observed a surge among Hispanics resulting in the Hispanic rate (182.65 per 1,000 people) exceeding that among all other racial and ethnic groups. The rates among Asians (112.06 per 1,000 people) and AIANs (106.52 per 1,000 people) come next, followed by Black/AAs (99.67 per 1,000) and Non-Hispanic Whites (93.37 per 1,000). The rate among females (115.05 per 1,000 people) exceeds the rate among males (107.5 per 1,000 people).


**Figure 6: Population based incidence rates in Milwaukee County**



Age	N Cases	Population	Rate per 1,000 residents
< 18	13787	231111	59.66
18-24	15749	150895	104.37
25-39	31278	163246	191.60
40-59	28445	230887	123.20
60-79	13943	142783	97.65
80+	3292	35287	93.29



Race/Ethnicity*	N Cases	Population	Rate per 1,000 residents
Black or AA	24820	249011	99.67
White	46097	493723	93.37
Hispanic	25676	140575	182.65
Asian	4532	40443	112.06
AIAN	495	4647	106.52
Multiple Races	418	24224	17.26



Gender	N Cases	Population	Rate per 1,000 residents
Male	49629	461670	107.50
Female	56666	492539	115.05

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)

Created by the Milwaukee County COVID-19 Epidemiology Intel Team

\*Race and ethnicity were combined into one variable where the Hispanic category includes Hispanics of any race.


AIAN stands for American Indian or Alaska Native and NHOPI stands for Native Hawaiian or Other Pacific Islander.



## Hospitalizations

A total of 6944 Milwaukee County residents have been hospitalized due to COVID-19. **Figure 7** shows cumulative hospitalizations based on lab specimen collection date (as admission dates are incomplete). The highest number of hospitalizations continues to be among those ages 60-79 (N = 2606). The highest number of hospitalizations have now occurred among Non-Hispanic White community (N = 2837), followed by the Black/AA community (N = 2497), and then the Hispanic community (N = 1190). Overall, counts are lower among other racial and ethnic groups. Females outnumber males, comprising 53.3% of all hospitalized cases. More individuals among lower income than higher income groups have been hospitalized, with a clear income gradient observed.

**Figure 7: Cumulative hospitalizations in Milwaukee County**



Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)

Created by the Milwaukee County COVID-19 Epidemiology Intel Team


\*Race and ethnicity were combined into one variable where the Hispanic category includes Hispanics of any race.

AIAN stands for American Indian or Alaska Native and NHOPI stands for Native Hawaiian or Other Pacific Islander.


When examined as population-based rates and case-based rates in **Figure 8**, hospitalization patterns are also apparent by demographic characteristics. Both population- and case-based hospitalization rates exhibit a clear age group gradient, with older age groups experiencing higher rates. For race and ethnicity and gender plots, note that the vertical axis has been adjusted this week to reveal variation and the scales are no longer directly comparable across age, gender, and race/ethnicity plots. By race and ethnicity, population and case-based hospitalization rates are highest among the Black/AA and AIAN populations and the population-based rate is lowest for non-Hispanic Whites. Note the variation in the timing of rate

increases across racial and ethnic groups. Rates by gender are very similar. All rates presented are crude rates and only groups with 10 or more total hospitalized cases are shown.


**Figure 8: Population and case based hospitalization rates in Milwaukee County**



Age	N Hospitalized Cases	Rate per 1,000 residents	Rate per 100 cases
< 18	240	1.04	1.74
18-24	287	1.90	1.82
25-39	911	5.58	2.91
40-59	1651	7.15	5.80
60-79	2606	18.25	18.69
80+	1249	35.40	37.94



Race/Ethnicity*	N Hospitalized Cases	Rate per 1,000 residents	Rate per 100 cases
Black or AA	2497	10.03	10.06
White	2837	5.75	6.15
Hispanic	1190	8.47	4.63
Asian	253	6.26	5.58
AIAN	48	10.33	9.70



Gender	N Hospitalized Cases	Rate per 1,000 residents	Rate per 100 cases
Male	3239	7.02	6.53
Female	3702	7.52	6.53

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)

Created by the Milwaukee County COVID-19 Epidemiology Intel Team


\*Race and ethnicity were combined into one variable where the Hispanic category includes Hispanics of any race.

AIAN stands for American Indian or Alaska Native and NHOPI stands for Native Hawaiian or Other Pacific Islander.

## Deaths

There are now a total of 1365 confirmed deaths in Milwaukee County, representing a case fatality rate of 1.3%. We observed 1 new death over the past week in the county. Mortality patterns differ by demographic characteristics, as shown in **Figure 9**. The largest number of deaths are recorded among those age 60 or older. The largest number of deaths are recorded for males (N = 698) and for non-Hispanic Whites (N = 744) followed by Black/AA residents (N = 396). By income, there are a larger number of deaths among the two lower income groups as compared to the two higher income groups. Deaths among Hispanics remain relatively low.

**Figure 9: Cumulative deaths in Milwaukee County**



Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)


Created by the Milwaukee County COVID-19 Epidemiology Intel Team

\*Race and ethnicity were combined into one variable where the Hispanic category includes Hispanics of any race.


AIAN stands for American Indian or Alaska Native and NHOPI stands for Native Hawaiian or Other Pacific Islander.

In terms of population- and case-based rates shown in **Figure 10**, there is a clear age category gradient, with higher death rates among older populations. For race and ethnicity and gender plots, note that the vertical axis has been adjusted this week to reveal variation and the scales are no longer directly comparable across age, gender, and race/ethnicity plots. Males have a higher death rate than females. The AIAN population has the highest population and case-based death rates, although the total number of deaths is small in comparison to other racial and ethnic groups. Black/AA populations and non-Hispanic Whites have the next highest population and case-based death rates. All rates presented are crude rates and only groups with 9 or more total deaths are shown.


**Figure 10: Population and case based death rates in Milwaukee County**



Age	N Deaths	Rate per 1,000 residents	Rate per 100 cases
18-39	23	0.07	0.05
40-59	138	0.60	0.49
60-79	602	4.22	4.32
80+	601	17.03	18.26



Race/Ethnicity*	N Deaths	Rate per 1,000 residents	Rate per 100 cases
Black or AA	396	1.59	1.60
White	744	1.51	1.61
Hispanic	157	1.12	0.61
Asian	44	1.09	0.97
AIAN	11	2.37	2.22



Gender	N Deaths	Rate per 1,000 residents	Rate per 100 cases
Male	698	1.51	1.41
Female	667	1.35	1.18

Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)

Created by the Milwaukee County COVID-19 Epidemiology Intel Team

\*Race and ethnicity were combined into one variable where the Hispanic category includes Hispanics of any race.


AIAN stands for American Indian or Alaska Native and NHOPI stands for Native Hawaiian or Other Pacific Islander.

## Testing Coverage

Testing for the novel coronavirus is an important public health response to limiting the spread of the infection. Testing capacity was limited in Milwaukee County and across the country earlier in the epidemic, but then increased. Since the first case of COVID-19 was diagnosed in Milwaukee County on March 6, 2020, a total of 1463999 COVID-19 tests have been performed, with 1344469 negative results and 119530 positive results. This represents a positive test rate of 8.2% since the beginning of the epidemic.


As shown in **Figure 11**, total tests per week increased until early July and then declined, with another increase starting in early September and peaking in early November, followed by a decline. Testing markedly decreased the weeks of Thanksgiving, Christmas, and the New Year. As shown in **Figure 12**, the percentage of positive tests varied over the course of the epidemic, with a high of 25-30% in early April of 2020. The percentage of positive tests was 0.8% over the past week compared to 1.3% the previous week. **Figure 12** also illustrates the 14-day trend in the percent positive tests, showing a significant decrease. Percent positive should be interpreted in the context of potential data delays, and considering that data entry for positive tests is prioritized.

**Figure 11: Milwaukee County number of tests per week**



Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
Created by the Milwaukee County COVID-19 Epidemiology Intel Team

**Figure 12: Milwaukee County percent positive tests**




Data source: Wisconsin Electronic Disease Surveillance System (WEDSS)  
Created by the Milwaukee County COVID-19 Epidemiology Intel Team

## Spatial Patterns of Cases and Testing

COVID-19 spread is spatially patterned. **Map 1** below illustrates the cumulative burden (all confirmed cases) of COVID-19 in Milwaukee County. **Map 2** shows cases confirmed over the last two weeks. **Map 3** shows the overall testing rate across the population. **Map 4** shows the testing rate over the last two weeks. **Map 5** depicts the percentage of tests that were confirmed positive. **Map 6** shows cumulative COVID-19 related hospitalizations. **Map 7** shows the percentage of cases who have been hospitalized. **Map 8** shows the overall COVID-19 mortality rate, excluding cases and corresponding population denominators residing in group quarters such as nursing homes and long-term care facilities. All are crude rate maps created using census block group level COVID-19 data from WEDSS and population data from the US Census. The maps are smoothed to protect confidentiality and ensure that rates are stable while still providing geographic detail. Deciles are used to define categories. High rates are depicted in red with lower rates depicted in blue. Of note, some of the higher rates observed can be attributed to infections that have spread within group quarters, such as a nursing home, prison, or long-term care facility.

# Decile Map 1: All confirmed cases of COVID-19

## COVID-19 Incidence Rate March 6, 2020 - June 22, 2021




Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 confirmed cases included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)  
 2018 American Community Survey (population data)  
 City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)  
 Census Bureau TIGER/Line Shapefiles (census place boundaries)

Created by the Milwaukee County Covid-19 Epidemiology Intel Team

## Decile Map 2: Confirmed cases of COVID-19 within the last two weeks

### COVID-19 Incidence Rate Latest 2 Weeks June 9, 2021 - June 22, 2021



Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 confirmed cases included.


Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)  
2018 American Community Survey (population data)  
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)  
Census Bureau TIGER/Line Shapefiles (census place boundaries)

Created by the Milwaukee County Covid-19 Epidemiology Intel Team



## Decile Map 3: Overall testing rate

### COVID-19 Testing Rate March 6, 2020 - June 22, 2021




Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 tests included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)  
2018 American Community Survey (population data)  
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)  
Census Bureau TIGER/Line Shapefiles (census place boundaries)

Created by the Milwaukee County Covid-19 Epidemiology Intel Team

## Decile Map 4: Testing rate within the last two weeks


### COVID-19 Testing Rate Latest 2 Weeks June 9, 2021 - June 22, 2021



Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 tests included.  
 Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)  
 2018 American Community Survey (population data)  
 City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)  
 Census Bureau TIGER/Line Shapefiles (census place boundaries)  
 Created by the Milwaukee County Covid-19 Epidemiology Intel Team

## Decile Map 5: Percentage of tests that were confirmed positive


### COVID-19 Positive Testing Rate March 6, 2020 - June 22, 2021



Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 positive tests included.  
 Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)  
 2018 American Community Survey (population data)  
 City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)  
 Census Bureau TIGER/Line Shapefiles (census place boundaries)  
 Created by the Milwaukee County Covid-19 Epidemiology Intel Team

## Decile Map 6: COVID-19 related hospitalizations

### COVID-19 Hospitalization Rate March 6, 2020 - June 22, 2021




Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 hospitalized cases included.

Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)  
2018 American Community Survey (population data)  
City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)  
Census Bureau TIGER/Line Shapefiles (census place boundaries)

Created by the Milwaukee County Covid-19 Epidemiology Intel Team

## Decile Map 7: Percentage of COVID-19 cases that were hospitalized


### COVID-19 Percent of Cases Hospitalized March 6, 2020 - June 22, 2021



Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 15 confirmed cases included.  
 Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)  
 2018 American Community Survey (population data)  
 City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)  
 Census Bureau TIGER/Line Shapefiles (census place boundaries)  
 Created by the Milwaukee County Covid-19 Epidemiology Intel Team

## Decile Map 8: COVID-19 mortality rate (group-quarter cases excluded)

### COVID-19 Mortality Rate March 6, 2020 - June 22, 2021



Method: A grid of points is used to estimate rates continuously across the map, based on the nearest cases with a minimum of 10 death cases included.  
 Data Sources: Wisconsin Electronic Disease Surveillance System (WEDSS) (incidence data)  
 2018 American Community Survey (population data)  
 City of Milwaukee Map Milwaukee Portal (neighborhood boundaries)  
 Census Bureau TIGER/Line Shapefiles (census place boundaries)  
 Created by the Milwaukee County Covid-19 Epidemiology Intel Team

## Data Sources & Acknowledgments

This report was created by faculty and staff in the Medical College of Wisconsin (MCW) Institute for Health and Equity (IHE) in partnership with representatives from local health departments and faculty from the University of Wisconsin-Milwaukee Zilber School of Public Health. Data sources include the Wisconsin Electronic Disease Surveillance System (WEDSS), the US Census Bureau, the Milwaukee County Medical Examiner's office, the Emergency Medicine Resource, and publicly available data obtained from local health and emergency response agencies. Data from the Wisconsin Electronic Data Surveillance System (WEDSS) summarized for the week includes data from June 16, 2021 through June 22, 2021.

## Contact Information

For additional questions on this report, please contact Darren Rausch, Health Officer/Director, Greenfield Health Department, and Lead, Milwaukee County COVID-19 Epidemiology Intel Team:  
[Darren.Rausch@greenfieldwi.us](mailto:Darren.Rausch@greenfieldwi.us) or (414) 329-5275.